

## SEQUENCE LISTING

<110> CytoTools GmbH  
 <120> Anti-apoptotically active aptamers  
 <130> C 720 US  
 <140> PCT/EP2004/014097  
 <141> 2004-12-10  
 <150> DE 103 584 07.2  
 <151> 2003-12-11  
 <160> 9  
 <170> PatentIn version 3.3  
 <210> 1  
 <211> 66  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Aptamer;  
 <400> 1  
 gggagacgat attcgtccat caccggacgg gaccagaggt gccgctgtcc gactgaattc 60  
 tcgacc 66  
 <210> 2  
 <211> 66  
 <212> RNA  
 <213> Artificial  
 <220>  
 <221> modified\_base  
 <222> (1)..(66)  
 <223> Aptamer; U = 2'-NH2-2'-desoxyuridin; C = 2'-NH2-2'desoxycytidin  
 <400> 2  
 gggagacgau auucguccau caccggacgg gaccagaggu gccgcugucc gacugaaauuc 60  
 ucgacc 66  
 <210> 3  
 <211> 21  
 <212> RNA  
 <213> Artificial  
 <220>  
 <221> modified\_base  
 <222> (1)..(21)  
 <223> Aptamer; U = 2'-NH2-2'-desoxyuridin; C = 2'-NH2-2'desoxycytidin  
 <400> 3  
 accggacggg accagaggug c 21  
 <210> 4

<211> 58  
 <212> RNA  
 <213> Artificial  
  
 <220>  
 <221> modified\_base  
 <222> (1)..(58)  
 <223> Aptamer; U = 2'-NH2-2'-desoxyuridin; C = 2'-NH2-2'desoxycytidin  
  
 <400> 4  
 gggagacgau auucguccau caccggacgg gaccagaggu gccgcugucc gacaugga 58  
  
 <210> 5  
 <211> 30  
 <212> RNA  
 <213> Artificial  
  
 <220>  
 <221> modified\_base  
 <222> (1)..(30)  
 <223> Aptamer; U = 2'-NH2-2'-desoxyuridin; C = 2'-NH2-2'desoxycytidin  
  
 <400> 5  
 accggacggg accagaggug ccgcuguccg 30  
  
 <210> 6  
 <211> 63  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Aptamer  
  
 <400> 6  
 gggagacgat attcgccat cgggagcagg gaagggggcc gctgtccgac tgaattctcg 60  
 acc 63  
  
 <210> 7  
 <211> 63  
 <212> RNA  
 <213> Artificial  
  
 <220>  
 <221> modified\_base  
 <222> (1)..(63)  
 <223> Aptamer; U = 2'-NH2-2'-desoxyuridin; C = 2'-NH2-2'desoxycytidin  
  
 <400> 7  
 gggagacgau auucguccau cgggagcagg gaagggggcc gcuguccgac ugaauucucg 60  
 acc 63  
  
 <210> 8  
 <211> 18  
 <212> RNA  
 <213> Artificial  
  
 <220>

<221> modified\_base  
 <222> (1)..(18)  
 <223> Aptamer; U = 2'-NH2-2'-desoxyuridin; C = 2'-NH2-2'desoxycytidin  
  
 <400> 8  
 gggagcaggg aagggggc 18  
  
 <210> 9  
 <211> 30  
 <212> RNA  
 <213> Artificial  
  
 <220>  
 <221> modified\_base  
 <222> (1)..(30)  
 <223> Aptamer; U = 2'-NH2-2'-desoxyuridin; C = 2'-NH2-2'desoxycytidin  
  
 <400> 9  
 ucgggagcag ggaagggggc cgcuguccga 30